

TianGe Acoustics

**SLATTED
ACOUSTIC PANEL
MANUFACTURER**

**Easy to Reach Elegant Design
and Good Acoustic Performance**

SLATTED ACOUSTIC PANEL

SPECIFICATION:



Each TianGe's **SLATTED ACOUSTIC PANEL** is handmade, which not only enhances the sense of decoration visually, but also creates a quieter and more comfortable environment. The products use environmentally friendly materials and are certified by authoritative organizations.

SPECIFICATION:

1>: 2400x600x21mm

2>: 2600x600x21mm


3>: 2700x520x21mm

ADVANTAGE:

1. Stable product quality and zero complaint.
2. Standard products, available for stock.
3. Functional products with sound absorption, strong decorative.
4. Wide range of applications: suitable for both house and industry decoration.
5. Applicable online sales and distributor channel sales.
6. 100% recycled material.

TianGe Panel

MATERIAL ANALYSIS:



Wood Veneer /HPL/Laminate wood surface
Eco-friendly MDF Panel for wood slat
100% Polyester Felt for polyester fiber panel


8 standard wood surface colors
available in a range of
standard face veneers

3 standard polyester color options
Black
Grey
Moonlight Grey

Slat width-air gap between wood slat
Slat item: 27-13 or 35-15

TianGe Panel

FUNCTION DISPLAY:



Laboratory measurement: **NRC= 0.7**

Standard: GB/T 20247-2006/ISO354:2003

Certificate: CE, Fire retardant certificate, etc.



TianGe Panel

AVAILABLE COLOR CHOICE:



TGSX-8001 veneer
| White Oak |



TGSX-8002 veneer
| Yellow Oak |



TGSX-8003 veneer
| Walnut Wood |




TGSX-8004 veneer
| Brizal Rosewood |

TianGe Panel

AVAILABLE COLOR CHOICE:



TGSX-8005 veneer
| Silver Oak |



TGSX-8006 veneer
| Iron Sword Wood |




TGSX-8007 veneer
| Smoked Oak |




TGSX-8008 HPL finish
| Etched Wood Grain |

TianGe Panel


PET COLOR CHOICE:



Silver Grey
TG-104




Moonlight Grey
TG-122



Black
TG-107


TianGe Panel

INSTALLATION INSTRUCTION:




TianGe Panel

INSTALLATION INSTRUCTION:



Method 1




Method 2

The TianGe slatted panel can be installed to the wall and ceiling directly as the method 1 and method 2 (with better acoustic performance).

TianGe Panel

APPLICATION:



◀ Lobby




TianGe Panel

APPLICATION:



◀ Room



TianGe Panel

APPLICATION:



◀ Residential



TianGe Panel

APPLICATION:



◀ Office /
Conference
Room

Bar ▶



TianGe Panel

APPLICATION:






◀ Auditorium



TianGe Office Display



TianGe Factory Display



天戈[®]
TIAN GE

**TIANGE INDUSTRIAL GROUP CO., LTD.
GUANGDONG TIANGE ACOUSTIC TECHNOLOGY
CO., LTD.
FOSHAN TIANGE ACOUSTIC & DECORATION
MATERIAL CO.,LTD.**

Website: www.acousticcn.com ; www.goodsoundacoustic.com

Add: No.14, 2nd Road, Desheng, Lishui, Nanhai, Foshan,528244,
Guangdong, CHINA

Facebook: <https://www.facebook.com/tiangeacoustics/>

YouTube: <https://www.youtube.com/channel/UC1H0GYXcSMABiikle2d01g>

Twitter: https://twitter.com/TianGe_Acoustic

Instagram: <https://www.instagram.com/tiangeacoustics/>